



SAFETY DATA SHEET

Workshop PRO Hand Sanitiser

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Workshop PRO Hand Sanitiser
Product number	7891-25
Internal identification	GHS23736
REACH registration notes	Not applicable. Product is a mixture and not subject to registration

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Sanitising alcohol based hand rub
Uses advised against	External use only

1.3. Details of the supplier of the safety data sheet

Supplier	Morris Lubricants Castle Foregate Shrewsbury Shropshire SY1 2EL +44 (0) 1743 232200 +44 (0) 1743 353584 sds@morris-lubricants.co.uk
-----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 2 - H225
Health hazards	Acute Tox. 4 - H302
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.

Workshop PRO Hand Sanitiser

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P233 Keep container tightly closed.</p> <p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P330 Rinse mouth.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ethanol		60-100%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-2119457610-43-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225	F;R11	
Glycerine		10-30%
CAS number: 56-81-5	EC number: 200-289-5	REACH registration number: 01-2119471987-18-0000
Classification	Classification (67/548/EEC or 1999/45/EC)	
Not Classified	-	
2-METHYLPROPAN-2-OL		1-5%
CAS number: 75-65-0	EC number: 200-889-7	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225	F;R11 Xn;R20 Xi;R36/37	
Acute Tox. 4 - H332		
Eye Irrit. 2 - H319		
STOT SE 3 - H335		

Workshop PRO Hand Sanitiser

HYDROGEN PEROXIDE SOLUTION ... %		<1%
CAS number: 7722-84-1		EC number: 231-765-0
Classification	Classification (67/548/EEC or 1999/45/EC)	
Ox. Liq. 1 - H271	R5 O;R8 C;R35 Xn;R20/22	
Acute Tox. 4 - H302		
Acute Tox. 4 - H332		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments Also contains denatonium benzoate 10mcg/ml

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention.
Ingestion	Do not induce vomiting. If patient is conscious, wash out mouth with water and give plenty of water to drink. Get medical attention.
Skin contact	Remove contaminated clothing.
Eye contact	Do not rub eye. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Ingestion	There may be irritation of the throat.
Skin contact	There may be mild irritation at the site of contact.
Eye contact	There may be irritation and redness

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Alcohol-resistant foam. Carbon dioxide (CO₂). Dry chemicals. Water spray.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is highly flammable. In combustion emits toxic fumes In use may form flammable/explosive vapour-air mixture. Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Workshop PRO Hand Sanitiser

Personal precautions For personal protection, see Section 8. No smoking, sparks, flames or other sources of ignition near spillage. Turn leaking containers leak-side up to prevent further escape if practical and safe to do so.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not use equipment in clean-up procedure which may produce sparks. Absorb in vermiculite, dry sand or earth and place into containers. Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide adequate ventilation. Eliminate all sources of ignition. Earth container and transfer equipment to eliminate sparks from static electricity.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Ethanol

Long-term exposure limit (8-hour TWA): WEL 1920 mg/m³

Glycerine

Long-term exposure limit (8-hour TWA): UK EH40 10 mg/m³

2-METHYLPROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 100 ppm 308 mg/m³

Short-term exposure limit (15-minute): WEL 150 ppm 462 mg/m³

HYDROGEN PEROXIDE SOLUTION ... %

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1.4 mg/m³

Short-term exposure limit (15-minute): WEL 2 ppm 2.8 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be adequate to control worker exposure to airborne contaminants. Use explosion-proof electrical equipment.

Eye/face protection Wear chemical splash goggles. Eye bathing equipment should be available on the premises

Hand protection Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Other skin and body protection Wear protective clothing.

Respiratory protection No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

Workshop PRO Hand Sanitiser

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Alcoholic.
Flash point	13°C Closed cup.
Evaporation rate	Fast
Solubility(ies)	Miscible in all proportions.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended transport or storage conditions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. Oxidising materials.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Heat, sparks, flames.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products In case of fire, toxic gases (CO, CO₂, NO_x) may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - inhalation

ATE inhalation (gases ppm) 450,000.0

ATE inhalation (vapours mg/l) 1,100.0

ATE inhalation (dusts/mists mg/l) 150.0

SECTION 12: Ecological information

Ecotoxicity No data available.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability Biodegradable.

Workshop PRO Hand Sanitiser

12.3. Bioaccumulative potential

Bioaccumulative potential No bioaccumulation potential.

12.4. Mobility in soil

Mobility Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Negligible ecotoxicity

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Collect and place in suitable waste disposal containers and seal securely. Dispose of contents/container in accordance with national regulations.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1170

UN No. (IMDG) 1170

UN No. (ICAO) 1170

UN No. (ADN) 1170

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (IMDG) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ICAO) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ADN) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group II

Workshop PRO Hand Sanitiser

IMDG packing group	II
ICAO packing group	II
ADN packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	2
Emergency Action Code	•2YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to
Annex II of MARPOL 73/78
and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Key literature references and sources for data Source: European Chemicals Agency, <http://echa.europa.eu/>

Revision date	31/03/2020
Revision	2
Supersedes date	26/03/2020
SDS number	23736

Hazard statements in full

H225 Highly flammable liquid and vapour.
H271 May cause fire or explosion; strong oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.