

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 21423

Issue date: 29/03/2023 Revision date: 29/03/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Duplex CDX 15W-40

Product code : 7418

Type of product : Engine oil

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Lubricants and additives
Function or use category : Lubricants and additives

1.2.2. Uses advised against

Restrictions on use : No specific uses advised against. Use only for the intended applications

1.3. Details of the supplier of the safety data sheet

Manufacturer

Morris Lubricants
Castle Foregate
SY1 2EL Shrewsbury – Shropshire
United Kingdom
T +44 (0) 1743 232200
sds@morris-lubricants.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0) 1743 232200

08.45 - 17.00 GMT

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P501 - Dispose of contents and container to a hazardous or special waste collection point.

EUH-statements : EUH208 - Contains Calcium long chain alkaryl sulphonate. May produce an allergic

reaction.

EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates,hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25, UK-01-1759217276-5	≥ 30 – < 50	Not classified
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25, UK-01-1759217276-5	≥ 10 - < 30	Not classified
Distillates (Petroleum), hydrotreated Heavy Paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25, UK-01-1759217276-5	≥ 10 - < 30	Not classified
Highly refined mineral oil (C15 - C50) substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	-	≥ 5 – < 10	Not classified
Polyolefin polyamine succinimide polyol	-	≥1-<5	Aquatic Chronic 4, H413
Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	≥ 1 – < 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
distillates (petroleum), hydrotreated heavy paraffinic; baseoil - unspecified substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25, UK-01-1759217276-5	≥ 0.1 – < 5	Asp. Tox. 1, H304
distillates (petroleum), solvent-dewaxed light paraffinic; baseoil -unspecified substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132-	≥ 0.1 – < 5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 REACH-no: 01-2119471299- 27, UK-01-0119695008-1	≥ 0.1 – < 5	Asp. Tox. 1, H304
paraffin oils (petroleum), catalytic dewaxed heavy	CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080- 42	≥ 0.1 – < 5	Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium long chain alkaryl sulphonate	CAS-No.: 722503-69-7	≥ 0.1 – < 1	Skin Sens. 1, H317 Aquatic Chronic 4, H413

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	(6.25 ≤C < 9.9) Skin Irrit. 2, H315 (10 ≤C < 12.5) Eye Irrit. 2, H319 (12.5 ≤C < 100) Eye Dam. 1, H318

Comments : A petroleum product. DMSO extract < 3 % weight (IP 346)

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap

and water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Get medical advice/attention if you feel unwell. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal use. Inhalation may cause irritation (cough, short breathing, difficulty in

breathing).

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : May cause slight irritation.

Symptoms/effects after ingestion : Although not classified, the product contains mineral oil. If aspirated into the lungs e.g.

through vomiting after ingestion, admit to hospital immediately.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, dry sand, or alcohol-resistant foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide.

5.3. Advice for firefighters

Precautionary measures fire : Keep container closed when not in use.

29/03/2023 (Issue date) GB - en 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Firefighting instructions : Prevent fire fighting water from entering the environment. Use water spray or fog for cooling

exposed containers.

Protection during firefighting : Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Caution : this product can cause the floor to be very

slippery.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Collect leaking and spilled liquid in sealable

containers as far as possible. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Notify authorities if product enters sewers or public waters. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Hygiene measures : Wear personal protective equipment. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking

and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.

Storage conditions : Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep container closed when not in

use. Store in a dry place.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Storage area : Store in a well-ventilated place. Special rules on packaging : Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

29/03/2023 (Issue date) GB - en 4/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (Petroleum), hydrotreated Heavy Paraffinic (64742-54-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	
Highly refined mineral oil (C15 - C50)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	
Regulatory reference	EU OEL (Europe).	
Distillates, hydrotreated heavy paraffinic (6474	12-54-7)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	
distillates (petroleum), hydrotreated heavy paraffinic; baseoil - unspecified (64742-54-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	
distillates (petroleum), solvent-dewaxed light paraffinic; baseoil -unspecified (64742-56-9)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield

8.2.2.2. Skin protection

Hand protection:

Gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : amber. Appearance : Liquid. Odour : mild. Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : > 320 °C

Flammability : Not flammable, Heating may cause a fire.

Explosive limits : Not available : Not available Lower explosion limit : Not available Upper explosion limit : 203 °C PMCC Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : 102.3 mm²/s @40C

Solubility : Material nearly insoluble in water. Soluble in organic solvents.

Partition coefficient n-octanol/water (Log Kow) : ≈ 7 Not determined. Typical for mineral oil

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : 0.883
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Additional information

: The product is a complex mixture, the majority of which would not be classed as a VOC. However it cannot be discounted that trace or low levels of VOCs may be present.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Extremely high or low temperatures. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (innaiation)	NOT Classified	
Distillates (Petroleum), hydrotreated Heavy Paraffinic (64742-54-7)		
LD50 oral rat	> 15000 mg/kg Source: IUCLID	
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
LD50 oral rat	> 15000 mg/kg Source: IUCLID	
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID	
Distillates,hydrotreated heavy paraffinic (64742-54-7)		
LD50 oral rat	> 15000 mg/kg Source: IUCLID	
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID	
distillates (petroleum), hydrotreated heavy paraffinic; baseoil - unspecified (64742-54-7)		
LD50 oral rat	> 15000 mg/kg Source: IUCLID	
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

distillates (petroleum), solvent-dewaxed light	paraffinic; baseoil -unspecified (64742-56-9)	
LD50 oral rat	> 5000 mg/kg Source: ECHA	
LD50 dermal rabbit	> 2000 mg/kg Source: EHCA	
LC50 Inhalation - Rat (Dust/Mist)	> 2.18 mg/l Source: ECHA	
Distillates (petroleum), solvent-dewaxed heav	yy paraffinic (64742-65-0)	
LD50 oral rat	> 5000 mg/kg Source: IUCLID	
LD50 dermal rabbit	> 2000 mg/kg Source: IUCLID	
Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]	bis(dithiophosphate) (93819-94-4)	
LD50 oral rat	> 2600 mg/kg	
LD50 dermal rabbit	> 3160 mg/kg	
Skin corrosion/irritation : Additional information :	Not classified (Based on available data, the classification criteria are not met) Repeated exposure may cause skin dryness or cracking.	
Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]	bis(dithiophosphate) (93819-94-4)	
Skin corrosion/irritation, Guinea pig	≥ 6.25 (4 Hours, (OECD 404 method))	
Serious eye damage/irritation :	Not classified (Based on available data, the classification criteria are not met)	
Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]	bis(dithiophosphate) (93819-94-4)	
Serious eye damage/irritation, rabbit	10 ≥ 12.5 ≤ (504 Hours)	
Respiratory or skin sensitisation :	Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity :	Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity :	Not classified	
Additional information :	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test	
Reproductive toxicity :	Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure :	Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure :	Not classified (Based on available data, the classification criteria are not met)	
Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]	bis(dithiophosphate) (93819-94-4)	
LOAEL (dermal, rat/rabbit, 90 days)	≈ 70 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	
NOAEL (oral, rat, 90 days)	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
Aspiration hazard :	Not classified	
Additional information :	Although not classified, the product contains mineral oil. If aspirated into the lungs e.g. through vomiting after ingestion, admit to hospital immediately.	
Duplex CDX 15W-40		
Viscosity, kinematic	102.3 mm²/s @40C	
Distillates (Petroleum), hydrotreated Heavy Paraffinic (64742-54-7)		
Viscosity, kinematic	96 mm²/s @40C	
Distillates, hydrotreated heavy paraffinic (647	42-54-7)	
Viscosity, kinematic	40 mm²/s @40C	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Not rapidly degradable

Additional information : Based on available data, the classification criteria are not met.

	·
Distillates (Petroleum), hydrotreated Heavy Paraffinic (64742-54-7)	
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
Distillates, hydrotreated heavy paraffinic (6474	12-54-7)
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
distillates (petroleum), hydrotreated heavy pa	raffinic; baseoil - unspecified (64742-54-7)
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	
LC50 - Fish [1]	> 5000 mg/l Source: IUCLID
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
Zinc bis[O-(6-methylheptyl)]bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)	
EC50 - Crustacea [1]	5.4 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	2.1 mg/l Test organisms (species): other:
EC50 72h - Algae [2]	2 mg/l Test organisms (species): other:
EC50 96h - Algae [1]	2.1 mg/l Test organisms (species): other:
EC50 96h - Algae [2]	2 mg/l Test organisms (species): other:
-	

12.2. Persistence and degradability

Duplex CDX 15W-40	
Persistence and degradability	Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Persistence and degradability Not established.	
12.3 Bioaccumulative notential	

12.5. Bloaccumulative potential			
Duplex CDX 15W-40			
Partition coefficient n-octanol/water (Log Kow)	≈ 7 Not determined. Typical for mineral oil		
Distillates (Petroleum), hydrotreated Heavy Pa	araffinic (64742-54-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID		
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID		
Partition coefficient n-octanol/water (Log Kow)	≈ 7 Not determined. Typical for mineral oil		
Distillates, hydrotreated heavy paraffinic (6474	Distillates,hydrotreated heavy paraffinic (64742-54-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID		
distillates (petroleum), hydrotreated heavy paraffinic; baseoil - unspecified (64742-54-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID		
distillates (petroleum), solvent-dewaxed light paraffinic; baseoil -unspecified (64742-56-9)			
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to a hazardous or special waste collection point.

European List of Waste (LoW) code

: 13 02 08* - other engine, gear and lubricating oils

HP Code

: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

29/03/2023 (Issue date) GB - en 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

United Kingdom

British National Regulations : GB CLP.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DNEL	Derived-No Effect Level
EC-No.	European Community number
ED	Endocrine disrupting properties
IARC	International Agency for Research on Cancer
LC50	Median lethal concentration
LD50	Median lethal dose
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
STP	Sewage treatment plant
VOC	Volatile Organic Compounds
WGK	Water Hazard Class
vPvB	Very Persistent and Very Bioaccumulative

Data sources

ECHA (European Chemicals Agency). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains Calcium long chain alkaryl sulphonate. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

29/03/2023 (Issue date) GB - en 13/13