

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 21464 Issue date: 16/05/2023 Revision date: 24/05/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Lodexol SS 75W-90
Product code	: 7057
Type of product	: Gear oil, Transmission Oil
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Use of the substance/mixture	: Lubricants and additives
Function or use category	: Lubricants and additives

Title	Life cycle stage	Use descriptors
General industrial use of lubricants and greases in vehicles or machinery. Includes filling and draining of containers and enclosed machinery (including engines)	Industrial, Professional	SU3, PC17, PC24, PROC1, PROC8b, ERC4, ERC7
Full text of use descriptors: see section 16		

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Morris Lubricants Castle Foregate SY1 2EL Shrewsbury – Shropshire United Kingdom T +44 (0) 1743 232200 sds@morris-lubricants.co.uk

1.4. Emergency telephone number

Emergency number

: +44 (0) 1743 232200 08.45 - 17.00 GMT

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLI	P]
Not classified	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) EUH-statements P501 - Dispose of contents and container to a hazardous or special waste collection point.
 EUH208 - Contains Polysulfides, di-tert-Bu, Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

salted by amines, C12-14- tert-alkyl. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates,hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25, UK-01-1759217276-5	≥ 30 – < 50	Not classified
Lubricating oil (petroleum) C20- C50,hydrotreated,neutral oil based substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	≥ 10 – < 30	Not classified
distillates (petroleum), solvent-dewaxed light paraffinic; baseoil -unspecified substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132- 48	< 5	Not classified
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27, UK-01-0119695008-1	< 5	Asp. Tox. 1, H304
Distillates (petroleum) hydrotreated heavy paraffinic	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25, UK-01-1759217276-5	< 5	Asp. Tox. 1, H304
Highly refined mineral oil (C15 - C50) substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	-	≥1-<5	Not classified
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	EC-No.: 931-384-6 REACH-no: 01-2119493620- 38, UK-01-3357647710-4	≥ 0.1 – < 5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43, UK-01-2783246473-2	≥ 0.1 – < 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	EC-No.: 931-384-6 REACH-no: 01-2119493620- 38, UK-01-3357647710-4	(0 ≤C < 9.38) EUH208 (9.39 ≤C < 100) Skin Sens. 1B, H317 (50.01 ≤C < 100) Eye Irrit. 2, H319
Comments	A petroleum product DMSO ext	ract < 3 % weight (IP 346)

Comments	: A petroleum product. DMSO extract < 3 % weight (IP 346)
	Mineral oil contained may be described by one or more of the following:
	EC No. 265-157-1,Registration No. 01-2119484627-25 (UK-01-1759217276-5),Distillates
	(petroleum), hydrotreated heavy paraffinic;
	EC No. 265-169-7, Registration No. 01-2119471299-27 (UK-01-0119695008-1), Distillates
	(petroleum), solvent-dewaxed heavy paraffinic;
	EC No. 265-158-7, Registration No. 01-2119487077-29 (UK-01-6871927170-9), Distillates
	(petroleum), hydrotreated light paraffinic;
	EC No. 265-159-2, Registration No. 01-2119480132-48 (UK-01-6953758963-7), Distillates
	(petroleum), solvent-dewaxed light paraffinic
	(petroleum), solvent-dewaxed heavy paraffinic; EC No. 265-158-7,Registration No. 01-2119487077-29 (UK-01-6871927170-9),Distillates (petroleum), hydrotreated light paraffinic; EC No. 265-159-2,Registration No. 01-2119480132-48 (UK-01-6953758963-7),Distillates

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Get medical advice/attention if you feel unwell. Do NOT induce vomiting.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/effects after inhalation	: None under normal use. Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: Although not classified, the product contains mineral oil. If aspirated into the lungs e.g. through vomiting after ingestion, admit to hospital immediately.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical, CO2, dry sand, or alcohol-resistant foam.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon monoxide. Carbon dioxide.
5.3. Advice for firefighters	
Precautionary measures fire	: Keep container closed when not in use.
Firefighting instructions	: Prevent fire fighting water from entering the environment. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Self-contained breathing apparatus.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Clean up any spills as soon as possible, using an absorbent material to collect it.	
6.1.1. For non-emergency personnel		
Protective equipment Emergency procedures	 Wear recommended personal protective equipment. Evacuate unnecessary personnel. Caution : this product can cause the floor to be very slippery. 	
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
Do not allow to enter drains or water courses.	Notify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for contain	ment and cleaning up	
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	
Methods for cleaning up	: Clear up rapidly by scoop or vacuum. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Notify authorities if product enters sewers or public waters. This material and its container must be disposed of in a safe way, and as per local legislation.	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage	•	
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling Hygiene measures	 Not expected to present a significant hazard under anticipated conditions of normal use. Do not eat, drink or smoke when using this product. Wear personal protective equipment. Wash contaminated clothing before reuse. Wash 	
	hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
7.2. Conditions for safe storage, inclu	Iding any incompatibilities	
Technical measures Storage conditions	 Store in a well-ventilated place. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep container closed when not in 	

: Oxidizing agent	. Strong acids.	Strong bases.
-------------------	-----------------	---------------

- : Store in a well-ventilated place.
- : Store in a closed container.

Incompatible products

Special rules on packaging

Storage area

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal	protection	
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
Distillates, hydrotreated heavy paraffinic (64742-54-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	
distillates (petroleum), solvent-dewaxed light	paraffinic; baseoil -unspecified (64742-56-9)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] 5 mg/m ³ 8H		
Regulatory reference	EU OEL (Europe).	
Highly refined mineral oil (C15 - C50)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m ³	
WEL STEL (OEL STEL)	10 mg/m ³	
Regulatory reference	EU OEL (Europe).	
Lubricating oil (petroleum) C20-C50,hydrotreated,neutral oil based (72623-87-1)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³ 8H	
Regulatory reference	EU OEL (Europe).	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield

8.2.2.2. Skin protection

Hand protection: Gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	amber.
Appearance	: Liquid.
Odour	: mild.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: > 320 °C
Flammability	: Not flammable, Heating may cause a fire.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 146 °C PMCC
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic @ 40°C	: 105 mm²/s
Solubility	: Material nearly insoluble in water. Soluble in organic solvents.
Partition coefficient n-octanol/water (Log Kow)	: ≈ 7 Not determined. Typical for mineral oil
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.882
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

SECTION 10: Stability and reactivity

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

Additional information

10.1. Reactivity

: The product is a complex mixture, the majority of which would not be classed as a VOC. However it cannot be discounted that trace or low levels of VOCs may be present.

	aditions of use stars and transport
The product is non-reactive under normal co	inditions of use, storage and transport.
10.2. Chemical stability	
Stable under normal conditions of use.	
10.3. Possibility of hazardous reaction	ons
No additional information available	
10.4. Conditions to avoid	
Extremely high or low temperatures. Moistur	e de la constante de
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition proc	ducts
Under normal conditions of storage and use	, hazardous decomposition products should not be produced.
SECTION 11: Toxicological infor	mation
11.1. Information on hazard classes	as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (oral) Acute toxicity (dermal)	 Not classified (Based on available data, the classification criteria are not met) Not classified
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0)
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID Not classified (Based on available data, the classification criteria are not met) Repeated exposure may cause skin dryness or cracking.
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met) : Repeated exposure may cause skin dryness or cracking. : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met) : Repeated exposure may cause skin dryness or cracking. : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met) : Repeated exposure may cause skin dryness or cracking. : Not classified (Based on available data, the classification criteria are not met) : Rot classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified : This product contains mineral oils which are considered to be severely refined and not
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met) : Repeated exposure may cause skin dryness or cracking. : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified : This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Additional information	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 1000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met) : Repeated exposure may cause skin dryness or cracking. : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified : This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Additional information	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > Not classified (Based on available data, the classification criteria are not met) Repeated exposure may cause skin dryness or cracking. Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Additional information	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID Not classified (Based on available data, the classification criteria are not met) Repeated exposure may cause skin dryness or cracking. Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Additional information	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > Not classified (Based on available data, the classification criteria are not met) Repeated exposure may cause skin dryness or cracking. Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Additional information	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met) : Repeated exposure may cause skin dryness or cracking. : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified : This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classifica
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Distillates (petroleum), solvent-dewa LD50 oral rat LD50 dermal rabbit Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Additional information Reproductive toxicity STOT-single exposure STOT-repeated exposure	 Not classified (Based on available data, the classification criteria are not met) Not classified Not classified axed light paraffinic; baseoil -unspecified (64742-56-9) > 5000 mg/kg Source: ECHA > 2000 mg/kg Source: EHCA axed heavy paraffinic (64742-65-0) > 5000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID > 2000 mg/kg Source: IUCLID : Not classified (Based on available data, the classification criteria are not met) : Repeated exposure may cause skin dryness or cracking. : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified : This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP346 test : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classifica

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed heav	/v paraffinic (64742-65-0)
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Polysulfides, di-tert-Bu (68937-96-2)	
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
Reaction products of 4-methyl-2-pentanol and pentaoxide, and salted by amines, C12-14- ter	d diphosphorus pentasulfide, propoxylated, esterified with diphosphorus rt-alkyl
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat
	Not classified Although not classified, the product contains mineral oil. If aspirated into the lungs e.g. through vomiting after ingestion, admit to hospital immediately.
Lodexol SS 75W-90	
Viscosity, kinematic @ 40°C	105 mm²/s
Lubricating oil (petroleum) C20-C50,hydrotrea	ated,neutral oil based (72623-87-1)
Viscosity, kinematic @ 40°C	25 mm²/s @40C
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties No additional information available 11.2.2. Other information Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met

Not classified
Not classified
Based on available data, the classification criteria are not met.
y paraffinic (64742-65-0)
> 5000 mg/l Source: IUCLID
> 1000 mg/l Source: IUCLID
> 1000 mg/l Source: IUCLID
l diphosphorus pentasulfide, propoxylated, esterified with diphosphorus t-alkyl
6.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
15 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability		
Lodexol SS 75W-90		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
Lodexol SS 75W-90		
Partition coefficient n-octanol/water (Log Kow)	≈ 7 Not determined. Typical for mineral oil	
distillates (petroleum), solvent-dewaxed light	paraffinic; baseoil -unspecified (64742-56-9)	
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID	
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Product/Packaging disposal recommendations European List of Waste (LoW) code HP Code	 Dispose of contents/container to a hazardous or special waste collection point. 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment HP15 - "Waste capable of exhibiting a hazardous property listed above not directly displayed by the original waste".

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard c	lass(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				
14.6. Special precaution	s for user			

Overland transport

Not applicable

Transport by sea Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

United Kingdom

British National Regulations : GB CLP.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acr	onyms:		
CAS-No.	Chemical Abstract Service number		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
ED	Endocrine disrupting properties		
IARC	International Agency for Research on Cancer		
LC50	Median lethal concentration		
LD50	Median lethal dose		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
VOC	Volatile Organic Compounds		
WGK	Water Hazard Class		
vPvB	Very Persistent and Very Bioaccumulative		

Data sources

: ECHA (European Chemicals Agency). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents. Normal use of this product shall imply use in accordance with the instructions on the ÷

Training advice

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Polysulfides, di-tert-Bu, Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide,	

packaging.

propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl. May produce an allergic reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
EUH210	Safety data sheet available on request.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Full text of use descriptors	
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC7	Use of functional fluid at industrial site
PC17	Hydraulic Fluids
PC24	Lubricants, greases, release products
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities
SU3	Industrial uses: Uses of substances as such or in preparations* at industrial sites

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.